


max
Ø 28 cm



Ø 600 mm
Ø 700 mm







KATANA⁷⁰⁰

■ = Included as standard // □ = Not available * = Optional



MODEL	KATANA 700			
Max. cutting diameter	Ø 22 cm	Ø 28 cm		
Widia blade 30 mm dia. hole <u>included</u>	Ø 600 mm	Ø 700 mm		
Blade revs (rpm)	1600	1400		
ITEM No.	K70.100	K70.101	K70.102	K70.103
Power supply: EL = electric (SI), V.PF = tractor	EL 230 Volt	EL 230 Volt	EL 400 Volt	V.PF 450 rpm
Power required (HP / kW)	3 / 2.2	3 / 2.2	5 / 3.7	11 / 8
Flywheel mounted on the electric engine	*	■	*	□
Blade stop brake	■	■	■	■
3-point connector 1 st - 2 nd cat.	□	□	□	■
Cut adjuster	■	■	■	■
Full wheels (dia. mm)	300	300	300	300
Working dimensions (L x W x H cm)	110 x 130 x 115	110 x 130 x 115	110 x 130 x 115	110 x 130 x 110
Weight (kg)	130	142	133	131
Price				

Shipping Dimensions / Weights: page 46

OPTIONAL ACCESSORIES					
Description	Steel blade		Flywheel	Thrust roller	Cardan shaft
Item No.	DA.600.30	DA.700.30	D.280.19	D.60.120	600.059
K70.100	*	---	*	*	□
K70.101	---	*	■	*	□
K70.102	---	*	*	*	□
K70.103	---	*	□	*	*
Price					

Super compact for private use!

KATANA » 700




Transmission with flat belt for better performance and overload protection

Exceptional performance for 230 Volt model with 700 mm dia. blade thanks to the flywheel



Lever for unlocking the bench movement (Exclusive THOR system)



Handle height adjustment for the action of the bench



Cutting length adjustment

Multipurpose extension for:

Support for logs being cutted

Handle for short distances



Transmission with aluminum gearbox for tractor model

Support for cardan shaft

OPTIONAL

Cardan shaft. ITEM No. 600.059

3-point connector 1st - 2nd cat. for tractor models



Supporting logs swinging bench with insider anti rolling device


Emergency braking device for models with PTO (Exclusive THOR system)



SAW BENCHES

Shipping dimensions (overall dimensions in cm) // Pallet Weight

KATANA »700




Pallet Weight: 25 kg


V.PF / EL / KOMBI versions

VS version

KATANA »750




Pallet Weight: 25 kg



Pallet Weight: 25 kg

TANDEM »



Pallet Weight:
25 kg

- ***V.PF** version - **Cod. 76.III:**
 - Saw benches height = 215 cm
 - Belt dimensions = 340 x 70 x 70 cm
- ****EL** version - **Cod. 76.103:**
 - Packaging depth = 128 cm