

6 ton



adjustable from
15 a 50 cm



min>max
5>25 cm



Controls
AUTOMATIC



MARTY

Green Battery / Slim

■ Included as standard // □ Not available // * Optional

| MODEL | MARTY Green Battery | MARTY Slim | |
|--|-----------------------------------|-----------------------|-----------------------|
| Adjustable cutting length | from 15 to 50 cm | from 15 to 50 cm | from 15 to 50 cm |
| Hydraulic oil tank | 9 lt | 8 lt (external tank) | 8 lt (external tank) |
| Splitting force | 6 ton | 6 ton | 6 ton |
| ITEM No. | 60.100* | 60.103 | 60.105 |
| Power supply EL =electric, LITHIUM =lithium-ion battery | LITHIUM 56 V - 2800 rpm | EL 230 Volt | EL 400 Volt |
| Power required (Hp / kW) | 3.24 / 2.38 | 2.5 / 1.85 | 4 / 3 |
| Working pressure (bar) <i>DP=double pump</i> | 230 | 230 / PD | 235 |
| 1 st cutting speed (cm/sec) | 6.3 | 10 | 3.2 |
| 2 nd cutting speed (cm/sec) | --- | 1.8 | --- |
| Return speed (cm/sec) | 8.4 | 12.3 | 15.2 |
| Wheels (∅ mm) <i>F = full / PN = pneumatic</i> | ■ 250 P | ■ 400 PN | ■ 400 PN |
| Working dimensions (WxL / H=110 cm) | 60x165 | 60x165 | 60x165 |
| Weight (kg) | 190 | 158 | 158 |
| Price | | | |

* Without batteries and charger. Please contact us for purchase.

Shipping dimensions / weights: page 54

OPTIONAL ACCESSORIES



| | |
|--------------|--------------|
| Description | Cross cutter |
| Item No. | 835.027.K |
| Price | |

Hydraulic horizontal log splitters

Horizontal log splitters ideal for private use!



When the protective casing is closed, the splitting operation starts automatically



Knob for adjusting cutting length from 15 to 50 cm



After work the cylinder and the support table can be easily retracted for a space-saving storage of the machine

Hydraulic horizontal log splitters

Smart electric version with cable, practical and intuitive design

MARTY *Slim*

Cutting channel for positioning the log to be split

Protective cover: as soon as it is closed, the splitting operation starts automatically

Adjustable support table for exiting split wood. Foldable at the end of work.

Hydraulic cylinder, easily foldable at the end of the work

Safety lever for blade retraction

External hydraulic oil tank

ø400 mm pneumatic rear wheels

Electric motor with cable, single-phase or three-phase depending on the model

Knob for adjusting cutting length from 15 to 50 cm



Pull-out handle for easy movement



HORIZONTAL HYDRAULIC LOG SPLITTERS

Shipping dimensions (overall dimensions in cm) // Pallet Weight

MARTY >>


Green Battery



Slim



EL + LITHIUM versions



 Pallet Weight: 25 kg